

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

Date of issue: 13 August 2018 Version: 1.0

SECTION 1: Identification

1.1. Product identifier

Product form : Mixture

Trade name : Fire Barrier Foam

Product code : US150A

1.2. Recommended use and restrictions on use

Recommended uses and restrictions : Fill, Void Or Cavity Materials

1.3. Supplier

International Fireproof Technology, Inc.

17528 Von Karman Ave. Irvine, CA 92614 T 949-975-8588 ptp@painttoprotect.com

1.4. Emergency telephone number

Emergency number : CHEMTREC 1-800-424-9300

SECTION 2: Hazard identification

2.1. Classification of the substance or mixture

Classification (GHS-CA)

Acute toxicity (oral), Category 4 Harmful if swallowed. Serious eye damage/eye irritation, Category 2B Causes eye irritation

2.2. GHS Label elements, including precautionary statements

GHS-CA labelling

Hazard pictograms (GHS-CA)



Signal word (GHS-CA) : Warning

Hazard statements (GHS-CA) : Harmful if swallowed.

Causes eye irritation

Precautionary statements (GHS-CA) : Wash hands thoroughly after handling.

Do not eat, drink or smoke when using this product.

IF SWALLOWED: Call a doctor, a POISON CENTER if you feel unwell.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

Rinse mouth.

If eye irritation persists: Get medical advice/attention.

Dispose of contents/container to hazardous or special waste collection point, in accordance

with local, regional, national and/or international regulation

2.3. Other hazards not contributing to the classification

No additional information available

2.4. Unknown acute toxicity (GHS-CA)

No data available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Chemical name / Synonyms	Product identifier	%	Classification (GHS-CA)
Ammonium polyphosphate	Polyphosphoric acids, ammonium salts	(CAS-No.) 68333-79-9	7 - 13	Acute Tox. 4 (Oral), H302 Eye Irrit. 2B, H320
1,4-Butanediol	Butane-1,4-diol / 1,4-Butylene glycol / 1,4-Dihydroxybutane / Butanediol, 1 4- / 1 4-BUTANEDIOL	(CAS-No.) 110-63-4	1 - 5	Acute Tox. 4 (Oral), H302 STOT SE 3, H336

13 August 2018 EN (English) Page 1

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures

First-aid measures after ingestion

4.1. Description of first aid measures

First-aid measures after inhalation : Move the affected person away from the contaminated area and into the fresh air. Get medical

advice/attention if you feel unwell.

First-aid measures after skin contact : Remove affected clothing and wash all exposed skin area with mild soap and water, followed

by warm water rinse. If skin irritation or rash occurs: Get medical advice/attention.

First-aid measures after eye contact : Rinse immediately with plenty of water for 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

: Rinse mouth. Do NOT induce vomiting. Get medical advice/attention.

4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects after skin contact : May cause slight temporary irritation.

Symptoms/effects after eye contact : Causes eye irritation.

Symptoms/effects after ingestion : Harmful if swallowed. Swallowing a small quantity of this material will result in serious health

hazard

4.3. Immediate medical attention and special treatment, if necessary

Note to physician: : Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1. Suitable extinguishing media

Suitable extinguishing media : Use extinguishing media appropriate for surrounding fire.

5.2. Unsuitable extinguishing media

Unsuitable extinguishing media : None known

5.3. Specific hazards arising from the hazardous product

Fire hazard : The product is not flammable. Supports combustion. On combustion forms: Carbon oxides

(CO, CO2).

Explosion hazard : Risk of explosion if heated under confinement.

5.4. Special protective equipment and precautions for fire-fighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire fighting water from entering the environment.

Protective equipment for firefighters : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Avoid contact with eyes. Avoid breathing mist, vapours. Spilled material may present a slipping

hazard.

Personal Precautions, Protective Equipment and Emergency Procedures

: Ventilate area. Wear recommended personal protective equipment. Evacuate unnecessary personnel. Equip cleanup crew with proper protection. Use self-contained breathing apparatus.

Prevention Measures for Secondary Accidents : P

: Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.2. Methods and materials for containment and cleaning up

Methods for cleaning up

: Small spills: Stop leak if safe to do so. Dilute with plenty of water. Absorb remaining liquid with sand or inert absorbent and remove to safe place. Dispose of at a licensed waste collection centre. In case of large spillages: Approach from upwind. Wash contaminated area with large

amounts of water. Consult an expert on waste disposal or treatment.

6.3. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection"

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Avoid contact with eyes. Provide good ventilation in process area to prevent formation of

vapour. Avoid breathing mist, vapours.

Hygiene measures : Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling.

Handle in accordance with good industrial hygiene and safety practice.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Incompatible

materials. Keep container closed when not in use.

Incompatible materials : Strong acids. alkalis. Oxidizing agent. Organic solvents.

13 August 2018 EN (English) 2/6

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Appropriate engineering controls

Appropriate engineering controls

: Ensure adequate ventilation. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.

8.3. Individual protection measures/Personal protective equipment

Hand protection:

Impermeable protective gloves. Protective gloves made of rubber or PVC

Eye protection:

Chemical goggles or safety glasses

Respiratory protection:

In case of inadequate ventilation wear respiratory protection. If the occupational exposure limit is exceeded: Wear a self contained breathing apparatus. suitable respiratory equipment (breathing apparatus with filter)

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Appearance : No data available

Colour : Black

Odour : characteristic No data available Odour threshold No data available Relative evaporation rate (butylacetate=1) No data available Relative evaporation rate (ether=1) : No data available : No data available Melting point Freezing point No data available Boiling point No data available Flash point No data available Auto-ignition temperature No data available Decomposition temperature No data available Flammability (solid, gas) : Not applicable Vapour pressure : No data available : No data available Vapour pressure at 50 °C

Density : 1 - 1.2
Solubility : Not miscible.
Log Pow : No data available
Explosive limits : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Relative density

Reactivity : Stable under normal conditions of use.

Chemical stability : Stable under normal conditions of use.

Possibility of hazardous reactions : Hazardous polymerization will not occur.

Conditions to avoid : None known.

Incompatible materials : Strong acids. Organic solvents. alkalis. Oxidizing agent. Hazardous decomposition products : On combustion forms: Carbon oxides (CO, CO2).

No data available

13 August 2018 EN (English) 3/6

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

SECTION 11: Toxicological information	1		
11.1. Information on toxicological effects			
Acute toxicity (oral)	: Oral: Harmful if swallowed.		
Acute toxicity (dermal)	: Not classified (Based on available data, the classification criteria are not met)		
	: Not classified (Based on available data, the classification criteria are not met)		
	,		
ATE CA (oral)	1508 mg/kg bodyweight		
1,4-Butanediol (110-63-4)			
LD50 oral rat	1525 mg/kg		
LD50 dermal rat	> 5000 mg/kg		
LC50 inhalation rat (mg/l)	> 5.1 mg/l/4h		
Ammonium polyphosphate (68333-79-9)			
LD50 oral rat	300 - 2000 mg/kg		
Skin corrosion/irritation	: Not classified (Based on available data, the classification criteria are not met)		
Serious eye damage/irritation	: Causes eye irritation.		
Respiratory or skin sensitization	: Not classified (Based on available data, the classification criteria are not met)		
Germ cell mutagenicity	Not classified (Based on available data, the classification criteria are not met)		
	: Not classified (Based on available data, the classification criteria are not met)		
	: Not classified (Based on available data, the classification criteria are not met)		
<u> </u>	: Not classified (Based on available data, the classification criteria are not met)		
1,4-Butanediol (110-63-4)			
STOT-single exposure	May cause drowsiness or dizziness.		
STOT-repeated exposure	: Not classified (Based on available data, the classification criteria are not met)		
Aspiration hazard	: Not classified (Based on available data, the classification criteria are not met)		
Likely routes of exposure	: Ingestion. Inhalation. Skin and eyes contact.		
Symptoms/effects after skin contact	: May cause slight temporary irritation.		
Symptoms/effects after eye contact	: Causes eye irritation.		
Symptoms/effects after ingestion	: Harmful if swallowed. Swallowing a small quantity of this material will result in serious health hazard.		
Other information	: Likely routes of exposure: ingestion, inhalation, skin and eye.		
SECTION 12: Ecological information			
12.1. Toxicity			
Ecology - general	: This material has not been tested for environmental effects.		
1,4-Butanediol (110-63-4)			
EC50 Daphnia 1	813 mg/l (Exposure time: 48 h - Species: Daphnia magna)		
EC50 72h algae (1)	> 500 mg/l (Species: Desmodesmus subspicatus)		
Log Pow	-0.88 (at 25 °C)		
Ammonium polyphosphate (68333-79-9)			
LC50 fish 1	> 500 mg/l (Exposure time: 96 h - Species: Brachydanio rerio [static])		
LC50 fish 2	123 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [flow-through])		
12.2. Persistence and degradability			
Fire Barrier Foam			
Persistence and degradability	Not established.		
12.3. Bioaccumulative potential			
Fire Barrier Foam			
Bioaccumulative potential	Not established.		
1,4-Butanediol (110-63-4)			
Log Pow	-0.88 (at 25 °C)		
12.4. Mobility in soil			
1,4-Butanediol (110-63-4) Log Pow	-0.88 (at 25 °C)		
	0.00 (0.20 0)		
13 August 2018	EN (English) 4/6		

13 August 2018 EN (English) 4/6

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

12.5. Other adverse effects

Ozone : Not classified (Based on available data, the classification criteria are not met)

Other information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Disposal methods

Product/Packaging disposal recommendations : Dispose of contents/container to comply with applicable local, national and international

regulation, a licensed hazardous-waste disposal contractor or collection site except for empty clean containers which can be disposed of as non-hazardous waste.

SECTION 14: Transport information

14.1. Basic shipping description

In accordance with TDG

Transportation of Dangerous Goods

Not regulated for transport

14.2. Transport information/DOT

Department of Transport

Not regulated for transport

14.3. Air and sea transport

IMDG

Not regulated for transport

IATA

Not regulated for transport

SECTION 15: Regulatory information

15.1. National regulations

1,4-Butanediol (110-63-4)

Listed on the Canadian DSL (Domestic Substances List)

Ammonium polyphosphate (68333-79-9)

Listed on the Canadian DSL (Domestic Substances List)

15.2. International regulations

1,4-Butanediol (110-63-4)

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on the Japanese ISHL (Industrial Safety and Health Law)

Listed on the Korean ECL (Existing Chemicals List)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Listed on Turkish inventory of chemical

Ammonium polyphosphate (68333-79-9)

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on the Japanese ISHL (Industrial Safety and Health Law)

Listed on the Korean ECL (Existing Chemicals List)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Listed on Turkish inventory of chemical

SECTION 16: Other information

Date of issue : 13 August 2018

Other information : None.

13 August 2018 EN (English) 5/6

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

Full text of H-statements:

Γ	H302	Harmful if swallowed.
Γ	H320	Causes eye irritation
	H336	May cause drowsiness or dizziness.

Abbreviations and acronyms:

neviations and defortyms.						
	PVC (Polyvinyl chloride).					

SDS Canada (GHS)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

13 August 2018 EN (English) 6/6